



# FOOD SERVICE CATALOGUE

**PT Atosa Kitchen Indonesia**  
We make the kitchen better



**2024**

# Company Profile

Atosa is a leading manufacturer of commercial kitchen equipment, established in 2003. The company has grown to become a prominent player in the industry with two major production bases located in Hangzhou, China, and Luoyong, Thailand, covering a total area of over 40,000 square meters. Atosa is recognized for its professional capabilities and technical expertise, which have propelled it to the forefront of the commercial kitchen equipment market.

Atosa have successfully established eight fully-owned sales subsidiaries in the United States, the United Kingdom, Italy, Germany, France, Australia, and Canada, along with 20 overseas warehouses. With a commitment to product serialization, brand autonomy, and global marketization, Atosa aims to remain at the forefront of the industry, providing superior solutions for commercial kitchens worldwide.

## Product Lines

Atosa offers a diverse range of products across four main categories:

1. Commercial Refrigerator Series
2. Buffetware Series
3. Ice-making Machine Series
4. Cooking Equipment Series



CV KARYA MUDAH SEJAHTERA



+62 818-0732-8340



a.saeroji@yamura.id



Jl. Glogor Carik No 9A, Denpasar, Bali



## ATOSA USA

Established in 2012



## ATOSA Thailand

Established in 2018



## ATOSA Indonesia

Established in 2024



## ATOSA UK

Established in 2012



## ATOSA Mexico

Established in 2022



## ATOSA France

Established in 2014



## ATOSA Germany

Established in 2014



## ATOSA Italy

Established in 2014



## ATOSA Canada

Established in 2014



## ATOSA Australia

Established in 2018

# Organization Structure



## 10 countries





# Mission

"To deliver the highest quality commercial kitchen equipment that meets the diverse needs of our global customers, through innovation, excellence in manufacturing, and unparalleled customer service."



# Vision

"To be the world leader in commercial kitchen equipment, driving technological innovation and enhancing our brand autonomy."





# Core Values

## Innovation

Continuously advancing our technology and product offerings.



## Quality

Maintaining the highest standards in manufacturing and customer service.



## Customer Focus

Understanding and fulfilling the needs of our customers worldwide.



## Global Reach

Expanding our market presence and accessibility.



## Sustainability

Committing to environmentally friendly practices and products.






## Cabinet

- Insulation with free CFC's
- Exterior and interior AISI304 & 430 stainless steel



## Door

- Hinges built with self-closing and stay open mechanism
- Magnetic door gaskets
- Recessed door handles
- Easy to clean



## Core Components

- Robert Shaw self-reset high temperature limiting device
- Robert Shaw gas valve
- Robert Shaw thermostat
- Maxitrol valve



## Stainless Steel Tubing

- Stainless steel tubing is low maintenance, easy to clean, durable
- These burners are virtually impossible to corrode





## Control System

- High precision temperature control
- Automatic defrost cycle



## Cast Iron Top Grates

- Designed with cast-iron grease through on each blade
- A built bowl which will allow grease to flow in the proper zone



## 100% Tested

- Audited and certified by Intertek to fulfill cETL safety and sanitation standard
- Automatic defrost cycle



## Production

- Strict supply chain management
- Semi-automatic production assembly line

Intertek





# GLASS DOOR REACH-IN FREEZERS AND CHILLERS

## Features:

- Stainless steel exterior & interior
- LED interior lights
- R290 refrigerant
- Dixell digital controller
- Self-closing door
- Magnetic door gasket
- Double pane glass door
- 4 pre-installed casters

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>4 Shelves Series</b>												
MCF8701GR	541	-20~-17	685x805x2112	4	Cubigel	R290	6.3	220/50	7.79	157	4	Yes
MCF8705GR	541	0~8	685x805x2112	4	Huayi	R290	2.1	220/50	3.7	142.8	4	Yes
<b>8 Shelves Series</b>												
MCF8703GR	1268	-20~-17	1382x805x2112	8	Secop	R290	8.6	220/50	12.77	251.8	4	Yes
MCF8707GR	1268	0~8	1382x805x2112	8	Cubigel	R290	3.2	220/50	5.21	231.2	4	Yes
<b>12 Shelves Series</b>												
MCF8704GR	1920	-20~-17	2079x805x2112	12	Embraco	R290	6.2	220/50	25.58	220	4	Yes
MCF8708GR	1920	0~8	2079x805x2112	12	Cubigel	R290	4.2	220/50	10.6	220	4	Yes



## 1 | Glass Door Reach-In Freezers and Chillers





# GLASS DOOR REFRIGERATOR MERCHANTISERS-W

## Features:

- Steel exterior & stainless interior
- LED interior lights
- R290 refrigerant
- Dixell electronic controller
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Pre-installed casters

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>3 &amp; 4 Shelves Series</b>												
MCF8719GR	235	0~8	615x610x1605	3	Huayi	R290	2.1	220/50	3.7	85	2	Yes
MCF8718GR	314	0~8	615x805x1935	4	Huayi	R290	2.1	220/50	3.7	90	2	Yes
MCF8714GR	549	0~8	685x805x2065	4	Huayi	R290	2.1	220/50	3.7	140	2	Yes
MCF8710GR	549	-22~-17	685x805x2065	4	Embraco	R290	2.1	220/50	7.79	140	2	Yes
<b>8 Shelves Series</b>												
MCF8716GR	1240	0~8	1382x805x2065	8	Cubigel	R290	3.2	220/50	5.21	210	2	Yes
MCF8712GR	1240	-22~-17	1382x805x2065	8	Secop	R290	3.2	220/50	12.77	210	2	Yes
<b>12 Shelves Series</b>												
MCF8717GR	1969	0~8	2079x805x2065	12	Cubigel	R290	4.2	220/50	10.6	300	2	Yes
MCF8713GR	1925	-22~-17	2079x805x2065	12	Embraco	R290	6.2	220/50	25.58	220	2	Yes



MCF8719GR  
MCF8718GR



MCF8714GR  
MCF8710GR



MCF8716GR  
MCF8712GR



MCF8717GR  
MCF8713GR



CV KARYA MUDAH SEJAHTERA



+62 818-0732-8340



a.saeroji@yamura.id



Jl. Glogor Carik No 9A, Denpasar, Bali

2 | Glass Door Refrigerator Merchandisers-W



# GLASS DOOR REFRIGERATOR MERCHANDISERS-B

## Features:

- Steel exterior & stainless interior
- LED interior lights
- R290 refrigerant
- Dixell electronic controller
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Pre-installed casters

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>3 &amp; 4 Shelves Series</b>												
MCF8725GR	314	0~8	615x610x1935	4	Cubigel	R290	2.1	220/50	-	90	2	Yes
MCF8726GR	235	0~8	615x610x1605	3	Cubigel	R290	2.1	220/50	-	85	2	Yes
MCF8720GR	549	-22~-17	685x805x2065	4	Embraco	R290	2.1	220/50	7.79	140	2	Yes
MCF8722GR	549	0~8	685x805x2065	4	Huayi	R290	2.1	220/50	3.7	140	2	Yes
MCF8732GR	807	-22~-17	1003x805x2065	4	Secop	R290	8.6	220/50	-	183	2	Yes
MCF8733GR	807	0~8	1003x805x2065	4	Cubigel	R290	3.2	220/50	-	183	2	Yes
<b>8 Shelves Series</b>												
MCF8721GR	1240	0~8	1382x805x2065	8	Secop	R290	8.6	220/50	12.77	210	2	Yes
MCF8723GR	1240	0~8	1382x805x2065	8	Cubigel	R290	3.2	220/50	5.21	210	2	Yes
<b>12 Shelves Series</b>												
MCF8728GR	1925	-22~-17	2079x805x2065	12	Embraco	R290	6.2	220/50	25.58	300	2	Yes
MCF8724GR	1969	0~8	2079x805x2065	12	Cubigel	R290	4.2	220/50	10.6	300	2	Yes







# UNDERCOUNTER REFRIGERATOR

## Features:

- Stainless steel exterior & interior
- Recessed door handle(s)
- R290 refrigerant
- Dixell digital controller
- Maintains temperatures
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Pre-installed casters

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
MBC24F	114	-22~-17	605x635x825	2	Cubigel	R290	2.6	220/50	Yes	Yes
MBC24R	114	0~8	605x635x825	2	Cubigel	R290	2.3	220/50	Yes	Yes
MGF840IGR	202	-22~-17	698x762x929	1	Huayi	R290	2.3	220/50	Yes	No
MGF8405GR	202	0~8	698x762x929	1	Cubigel	R290	2.4	220/50	Yes	No
MGF36FGR	246	-22~-17	923x762x929	2	Huayi	R290	2.3	220/50	Yes	No
MGF36RGR	246	0~8	923x762x929	2	Huayi	R290	1.8	220/50	Yes	No



MBC24F  
MBC24R



MGF840IGR  
MGF8405GR



MGF36FGR  
MGF36RGR





# REFRIGERATED PIZZA PREP TABLES

## Features:

- Steel exterior & stainless interior
- Maintains temperatures
- R290 refrigerant
- Dixell digital controller
- Stainless steel 1/3 size pans included
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Pre-installed casters
- Recessed door handle

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
MPF8201GR	275	0~8	1117x840x1035	2	Huayi	R290	2.3	220/50	Yes	No
MPF8202GR	524	0~8	1701x840x1035	4	Huayi	R290	2.8	220/50	Yes	No
MPF8203GR	804	0~8	2362x840x1035	6	Cubigel	R290	3.1	220/50	Yes	No



MPF8201GR



MPF8202GR



MPF8203GR







# BACK BAR COOLERS WITH GLASS DOORS

## Features:

- Stainless steel exterior & interior
- Slide out compressor assembly
- R290 refrigerant
- Dixell digital controller
- Maintains temperatures
- LED interior light(s)
- Magnetic door gasket
- Door lock(s) standard
- Pre-installed casters
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
MBB48GGR	365	0~8	1220x713x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes
MBB59GGR	490	0~8	1467x713x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes
MBB69GGR	490	0~8	1467x713x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes
MBB90GGR	852	0~8	2267x713x1072	6	Cubigel	R290	2.8	220/50	Yes	Yes



MBB48GGR  
MBB59GGR



MBB69GGR



MBB90GGR





# DIRECT DRAW KEG COOLERS

## Features:

- Steel exterior & stainless interior
- Maintains temperatures
- R290 refrigerant
- Dixell digital controller
- Slide out compressor assembly
- Dual tap tower standard
- Magnetic door gasket
- Door lock(s) standard
- Pre-installed casters
- Recessed door handle

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
MKC23GR	201	0~8	585x750x998	One bottom shelf	Huayi	R290	2.3	220/50	Yes	Yes
MKC58GR	490	0~8	1467x713x1072	No	Cubigel	R290	2.3	220/50	Yes	Yes
MKC68GR	609	0~8	1727x713x1072	No	Cubigel	R290	2.3	220/50	Yes	Yes
MKC90GR	852	2267x713x1072	No	Cubigel	R290	2.8	220/50	Yes	Yes	



MKC23GR



MKC58GR



MKC68GR



MKC90GR





# BACK BAR COOLERS

## Features:

- Stainless steel exterior & interior
- Slide out compressor assembly
- R290 refrigerant
- Dixell digital controller
- Maintains temperatures
- Interior light(s)
- Magnetic door gasket
- Door lock(s) standard
- Pre-installed casters
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Compressor	Refrigerant	Shelves Included	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
SBB48GR	326	0~8	1220x620x1072	Cubigel	R290	4	2.3	220/50	Yes	Yes
SBB59GR	425	0~8	1467x620x1072	Cubigel	R290	4	2.3	220/50	Yes	Yes
SBB69GR	527	0~8	1727x620x1072	Cubigel	R290	4	2.3	220/50	Yes	Yes



SBB48GR



SBB59GR



SBB69GR







# BACK BAR COOLERS WITH GLASSDOORS

## Features:

- Steel exterior & stainless interior
- Maintains temperatures
- R290 refrigerant
- Dixell digital controller
- Slide out compressor assembly
- LED interior(s) light
- Magnetic door gasket
- Door lock(s) standard
- Pre-installed casters
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
SBB48GGR	326	0~8	1220x620x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes
SBB59GGR	425	0~8	1467x620x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes
SBB69GGR	527	0~8	1727x620x1072	4	Cubigel	R290	2.3	220/50	Yes	Yes



SBB48GGR



SBB59GGR



SBB69GGR





# TOP MOUNTED GASTRONORM REFRIGERATOR

## Features:

- Steel exterior & stainless interior
- Efficient refrigerator system
- Heavy duty compressor
- Digital controller
- Round corner design
- Self-closing door
- Magnetic door gasket
- Standard safety door lock
- Pre-installed casters
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (kwh)	Gross Weight (kg)	Castor Wheels
<b>MBF Series</b>											
MBF8113GR	670	-22~-17	730x805x2065	4	Huayi	R290	3	220-240/50	4.99	134.6	Yes
MBF8116GR	670	-2~8	730x805x2065	4	Secop	R600a	1.1	220-240/50	1.26	128	Yes
MBF8114GR	1240	-22~-17	1314x805x2065	8	Huayi	R290	4.5	220-240/50	8.19	206	Yes
MBF8117GR	1240	-2~8	1314x805x2065	8	Huayi	R600a	1.8	220-240/50	2.01	191.2	Yes
<b>JBF Series</b>											
JBF40FSGR	550	-22~-17	654x800x1866	4	Donper	R290	3	220-240/50	5.9	120	Yes
JBF40RSGR	550	-2~8	654x800x1866	4	Huayi	R600a	1.1	220-240/50	1.62	120	Yes
JBF80FSGR	1220	-22~-17	1314x800x1866	8	Cubigel	R290	4.5	220-240/50	9.38	180	Yes
JBF80RSGR	1220	-2~8	1314x800x1866	8	Huayi	R600a	1.8	220-240/50	2.49	180	Yes



MBF Series



JBF Series



# GASTRONORM UNDERCOUNTER

## Features:

- Stainless steel exterior & interior
- Shelf rail supports GN pans
- Ventilated cooling system
- Option draw kit available
- Auto defrost function
- Pre-installed shelves
- Digital controller
- Magnetic door gaskets
- Fits GN pans


## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
EPF3422GR	280	-2~8	1360x700x850	6	Huayi	R600a	1.5	220-240/50	Yes	Yes
EPF3462GR	420	-2~8	1795x700x850	10	Cubigel	R290	3	220-240/50	Yes	Yes
EPF3432GR	560	-2~8	2230x700x850	14	Huayi	R290	1.9	220-240/50	Yes	Yes
EPF3472GR	280	-22~-17	1360x700x850	6	Cubigel	R290	3	220-240/50	Yes	Yes
EPF3442GR	420	-22~-17	1795x700x850	10	Huayi	R290	1.9	220-240/50	Yes	Yes
EPF3482GR	560	-22~-17	2230x700x850	14	Cubigel	R290	3	220-240/50	Yes	Yes
EPF3721GR	280	-2~8	1360x700x850	6	Huayi	R600a	1.5	220-240/50	Yes	Yes
EPF3731GR	420	-2~8	1795x700x850	10	Huayi	R290	1.9	220-240/50	Yes	Yes
EPF3741GR	560	-2~8	2230x700x850	14	Huayi	R290	1.9	220-240/50	Yes	Yes



EPF3422GR  
EPF3462GR



EPF3432GR  
EPF3472GR



EPF3442GR  
EPF3482GR



EPF3721GR



EPF3731GR







# REFRIGERATED PIZZA TABLE

## Features:

- Stainless steel exterior & interior
- Recessed door handle
- Marble top
- Ventilated cooling system
- European parts
- Magnetic door gasket
- Digital controller
- Heavy duty compressor
- Ventilated cooling system

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
EPF3480GR	280	-2~8	2100x800x1000	0	Huayi	R600a	1.5	220-240/50	Yes	Yes
EPF3485GR	420	-2~8	2010x800x1000	0	Huayi	R290	1.9	220-240/50	Yes	Yes
EPF3490GR	280	-2~8	1510x800x1000	0	Huayi	R600a	1.5	220-240/50	Yes	Yes
EPF3495GR	280	-2~8	1510x800x1000	0	Huayi	R600a	1.5	220-240/50	Yes	Yes



EPF3480GR



EPF3485GR



EPF3490GR



EPF3495GR





# BLAST CHILLER

## Features:

- Steel exterior & stainless interior
- Fully automatic operation
- Ventilated refrigeration
- Self closing door
- Easy clean recess door handle
- Internal food probe
- Temperature probe supplied

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Lock	Legs
EBF-03GR	74	-35	755x832x581	3	Embraco	R290	6	220-240/50	Yes	No
EBF-10GR	94	-35	750x815x870	5	Highly	R404	6.5	220-240/50	Yes	Yes
EBF-05GR	178	-35	750x830x1435	10	Secop	R404	12	220-240/50	Yes	Yes



EBF-03GR



EBF-10GR



EBF-05GR



# SALADETTE

## Features:

- Stainless steel exterior & interior
- All fitted with European parts
- Digital controller
- Unit can be positioned against a wall
- Pre-installed shelves
- Compressor on bottom
- Condenser on bottom

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
ESL3800GR	300	-2~8	900x700x880	4	Huayi	R600a	2	220-240/50	Yes	No
ESL3801GR	300	-2~8	900x700x880	4	Huayi	R600a	1.2	220-240/50	Yes	No
ESL3821GR	300	-2~8	900x700x880	4	Huayi	R600a	1.2	220-240/50	Yes	No
ESL3820GR	300	-2~8	900x700x880	4	Huayi	R600a	1.2	220-240/50	Yes	No
ESL3831GR	300	-2~8	900x700x1100	4	Huayi	R600a	2	220-240/50	Yes	No
ESL3832GR	300	-2~8	900x700x1040	4	Huayi	R600a	2	220-240/50	Yes	No
ESL3830GR	300	-2~8	900x700x888	4	Huayi	R600a	2	220-240/50	Yes	No
ESL3814GR	380	-2~8	1365x700x1300	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3811GR	300	-2~8	900x700x1300	4	Huayi	R600a	2	220-240/50	Yes	No
ESL3813GR	300	-2~8	1045x700x888	4	Huayi	R600a	2	220-240/50	Yes	No



ESL3800GR



ESL3801GR



ESL3821GR



ESL3820GR



ESL3831GR



ESL3832GR



ESL3830GR



ESL3814GR



ESL3811GR



ESL3813GR





# SALADETTE

## Features:

- Stainless steel exterior & interior
- All fitted with European parts
- Digital controller
- Unit can be positioned against a wall
- Pre-installed shelves
- Compressor on bottom
- Condenser on bottom

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
ESL3850GR	380	-2~8	1365x700x888	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3851GR	380	-2~8	1365x700x880	6	Huayi	R600a	1.2	220-240/50	Yes	No
ESL3853GR	380	-2~8	1365x700x1040	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3854GR	380	-2~8	1365x700x1100	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3858GR	380	-2~8	1365x700x1100	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3864GR	380	-2~8	1365x700x888	6	Huayi	R600a	2	220-240/50	Yes	No
ESL3852GR	380	-2~8	1365x700x880	6	Huayi	R600a	1.2	220-240/50	Yes	No
ESL3847GR	380	-2~8	1365x700x1040	6	Huayi	R600a	2	220-240/50	Yes	No



ESL3850GR



ESL3851GR



ESL3853GR



ESL3854GR  
ESL3858GR



ESL3864GR



ESL3852GR



ESL3847GR



CV KARYA MUDAH SEJAHTERA



+62 818-0732-8340



a.saeroji@yamura.id



Jl. Glogor Carik No 9A, Denpasar, Bali



# REFRIGERATED DISPLAYER FOR PIZZA

## Features:

- Quality countertop prep unit
- Stainless steel exterior & interior
- Static cooling system
- All units take 1/3 GN or 1/4 GN pans
- Stainless steel top
- Optional temperature display

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
ESL3880GR	32	-2~8	1205x335x255	0	HUAYI	R600a	1.1	220-240/50	1.55	38	No	No
ESL3881GR	40	-2~8	1205x395x255	0	HUAYI	R600a	1.1	220-240/50	1.55	41	No	No
ESL3883GR	44	-2~8	1505x335x255	0	HUAYI	R600a	1.1	220-240/50	1.55	43	No	No
ESL3884GR	53	-2~8	1505x395x255	0	HUAYI	R600a	1.1	220-240/50	1.55	47	No	No
ESL3887GR	56	-2~8	1805x335x255	0	HUAYI	R600a	1.1	220-240/50	1.55	49	No	No
ESL3888GR	67	-2~8	1805x395x255	0	HUAYI	R600a	1.1	220-240/50	1.55	53	No	No





# BACK BAR COOLER & FREEZER

## Features:

- Energy classification A+
- Ventilation, fan cooled
- C5H10 insulation
- Digital temperature controller
- Self closing and stay open door
- Internal LED lighting
- Magnetic door gasket
- Lockable door standard

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
MBC24G	145	-2~8	605x635x785	2	Huayi	R600a	0.8	220-240/50	Yes	Yes
MBC24FG	105	-20~-17	605x635x785	2	Cubigel	R290	2.8	220-240/50	Yes	Yes



MBC24G  
MBC24FG







# VENTILATED UPRIGHT REFRIGERATOR

## Features:

- Steel exterior & stainless interior
- Top mounted units
- Heavy duty compressor
- Digital controller
- Safety door lock
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Heavy duty castors
- Recessed door handle

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>3 Shelves Series</b>												
YBF9206GR	410	-2~8	600x730x1950	3	Huayi	R600a	1.5	220-240/50	1.43	100	Yes	Yes
YBF9207GR	410	-22~-17	600x730x1950	3	Cubigel	R600a	3.2	220-240/50	5.78	110	Yes	Yes
YBF9204GR	410	-2~8	600x730x1950	3	Huayi	R600a	1.5	220-240/50	1.43	110	Yes	Yes
YBF9205GR	410	-22~-17	600x730x1950	3	Cubigel	R600a	3.2	220-240/50	5.78	108	Yes	Yes
<b>6 Shelves Series</b>												
YBF9218GR	900	-2~8	1200x730x1950	6	Huayi	R600a	2.3	220-240/50	2.18	155	Yes	Yes
YBF9219GR	900	-22~-17	1200x730x1950	6	Embraco	R290	4.5	220-240/50	9.17	155	Yes	Yes
YBF9239GR	420/420	-22~-17/-2~8	1200x730x1950	6	Huayi/Cubigel	R600a/R290	4.7	220-240/50	8.22	155	Yes	Yes
YBF9224GR	900	-2~8	1200x730x1950	6	Huayi	R600a	2.3	220-240/50	2.18	155	Yes	Yes
YBF9225GR	900	-22~-17	1200x730x1950	6	Embraco	R290	4.5	220-240/50	9.17	155	Yes	Yes


 YBF9206GR  
YBF9207GR

 YBF9204GR  
YBF9205GR

 YBF9218GR  
YBF9219GR


YBF9239GR


 YBF9224GR  
YBF9225GR



# VENTILATED UPRIGHT REFRIGERATOR

## Features:

- Steel exterior & stainless interior
- Top mounted units
- Heavy duty compressor
- Digital controller
- Safety door lock
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Heavy duty castors
- Recessed door handle

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>3/6 Shelves Series</b>												
YBF9237GR	1390	-2~8	1800x730x1950	3/6	Cubigel	R290	1.8	220-240/50	2.91	200	Yes	Yes
YBF9242GR	1390	-22~-17	1800x730x1950	3/6	Embraco	R290	1.8	220-240/50	11.8	200	Yes	Yes
YBF9235GR	1390	-2~8	1800x730x1950	3/6	Embraco	R290	1.8	220-240/50	2.91	200	Yes	Yes
YBF9243GR	1390	-22~-17	1800x730x1950	3/6	Embraco	R290	1.8	220-240/50	11.8	200	Yes	Yes



YBF9237GR  
YBF9242GR



YBF9235GR  
YBF9243GR





# VENTILATED UPRIGHT SHOWCASE



## Features:

- Steel exterior & stainless interior
- Top mounted units
- Heavy duty compressor
- Digital controller
- Safety door lock
- Self-closing door
- Magnetic door gasket
- Pre-installed shelves
- Heavy duty castors
- Recessed door handle

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Power Consumption (Kwh)	Gross Weight (kg)	Castor Wheels	Lock
<b>4 Shelves Series</b>												
YBF9401GR	410	0~8	600x730x1950	4	Huayi	R600a	1.5	220-240/50	3.34	110	Yes	Yes
YBF9407GR	410	-20~-17	600x730x1950	4	Embraco	R290	4.5	220-240/50	6.92	127.2	Yes	Yes
<b>8 Shelves Series</b>												
YBF9402GR	900	0~8	1200x730x1950	8	Huayi	R600a	2.3	220-240/50	4.64	155	Yes	Yes
YBF9408GR	900	-20~-17	1200x730x1950	8	Secop	R290	4.8	220-240/50	10.89	155	Yes	Yes
<b>4/8 Shelves Series</b>												
YBF9403GR	1390	0~8	1800x730x1950	4/8	Cubigel	R290	1.8	220-240/50	5.86	249.6	Yes	Yes
YBF9409GR	1390	-20~-17	1800x730x1950	4/8	Embraco	R290	7.7	220-240/50	14.93	271.4	Yes	Yes



YBF9401GR  
YBF9407GR



YBF9402GR  
YBF9408GR



YBF9403GR  
YBF9409GR



# VENTILATED UNDERCOUNTER

## Features:

- Stainless steel exterior & interior
- Environmental friendly refrigerant
- Insulation foam C5H10 zero emission
- Heavy duty compressor
- European parts
- Ventilated cooling system
- Auto defrost function
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
YPF9020GR	270	-2~8	1200x600x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9022GR	270	-2~8	1200x700x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9023GR	290	-2~8	1200x750x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9025GR	220	-22~-17	1200x600x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9027GR	270	-22~-17	1200x700x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9028GR	290	-22~-17	1200x750x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9030GR	300	-2~8	1500x600x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9032GR	370	-2~8	1500x700x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9033GR	400	-2~8	1500x750x800	2	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9035GR	300	-22~-17	1500x600x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9037GR	370	-22~-17	1500x700x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9038GR	400	-22~-17	1500x750x800	2	Cubigel	R290	2.9	220-240/50	Yes	Yes



CV KARYA MUDAH SEJAHTERA



+62 818-0732-8340



a.saeroji@yamura.id



Jl. Glogor Carik No 9A, Denpasar, Bali





# VENTILATED UNDERCOUNTER

## Features:

- Stainless steel exterior & interior
- Environmental friendly refrigerant
- Insulation foam C5H10 zero emission
- Heavy duty compressor
- European parts
- Ventilated cooling system
- Auto defrost function
- Pre-installed shelves

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
YPF9040GR	390	-2~8	1800x600x800	3	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9042GR	470	-2~8	1800x700x800	3	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9043GR	510	-2~8	1800x750x800	3	Huayi	R600a	1.5	220-240/50	Yes	Yes
YPF9045GR	390	-22~-17	1800x600x800	3	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9047GR	470	-22~-17	1800x700x800	3	Cubigel	R290	2.9	220-240/50	Yes	Yes
YPF9048GR	510	-22~-17	1800x750x800	3	Cubigel	R290	2.9	220-240/50	Yes	Yes





# SANDWICH REFRIGERATOR

## Features:

- Stainless steel exterior & interior
- Static cooling system

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Legs	Lock
YWL9720	340	2~10	1200x700x800	2	Huayi	R600a	2.9	220-240/50	Yes	Yes
YWL9730	460	2~10	1500x700x800	2	Huayi	R600a	2.9	220-240/50	Yes	Yes
YWL9740	580	2~10	1800x700x800	3	Huayi	R600a	2.9	220-240/50	Yes	Yes



YWL9720  
YWL9730



YWL9740





# ICE MAKERS

## Features:

- Durable Stainless steel exterior
- Air cooled condenser
- Removeable air filter
- 3M water filter system
- Large drain pan
- Ice scoop included
- ETL listed
- Power switch accessible

## Certifications:



Models	Capacity (kg)	Ice making Capacity (kgs)	External Dimensions (mm)	Type	Amps (A)	Voltage/Frequency (V/Hz)	Lock
<b>Self-Contained</b>							
HD350-AP	74	160	586x750x1800	cube ice	10.3	220/50	No
HD140-AP	94	63	618x731x980	cube ice	3.1	220/50	No
HD280-AP-251	178	127	618x731x980	cube ice	7.2	220/50	No
<b>Modular</b>							
YR450-AP-251	-	205	774x640x560	cube ice	11.8	220/50	No
YR800-AP-261	-	363	774x640x806	cube ice	7.5	230/50	No



HDP350-AP



YR140-AP



YR280-AP-251



YR450-AP-251



YR800-AP-261





# ICE STORAGE BINS

## Features:

- Durable stainless steel exterior
- Slanted black plastic bin door
- Ice scoop included
- Comes with standard adapter

## Certifications:



Models	Capacity (kg)	Gross Weight (kg)	External Dimensions (mm)	Type	Foaming Material	Legs	Lock
CYR400P	180	64	700x834x1050	ice bin	C5H10	Yes	No
CYR700P	318	144.5	1225x828x1044	ice bin	C5H10	Yes	No



CYR400P



CYR700P







# EU TYPE ICE MAKERS

## Features:

- Stainless steel exterior
- Food grade ASB interior
- Easy cleanable internal surfaces
- HCFC free insulation
- Cyclopentane foaming
- R290 refrigerant
- Fully automatic operation

## Certifications:



Models	Capacity (kg)	Ice making Capacity (kgs)	External Dimensions (mm)	Type	Amps (A)	Voltage/Frequency (V/Hz)	System	Legs	Lock
E-20	4	22	350x482x600	gourmet	1.8	220-240/50	Ventilated cooling	Yes	No
E-40	9	40	467x540x840	cube ice	1.4	220-240/50	Ventilated cooling	Yes	No



E-20



E-40





# OPEN AIR MERCHANDISER

## Features:

- Stainless steel exterior & interior
- LED lit header panel
- LED lighting on each shelf
- Full electronic controller
- Night standard
- Pre-installed castors

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
AOM-40B	584	2~8	1070x780x2180	4	Secop	R290	16.5	220-240/50	1600	238	Yes	No
AOM-50B	780	2~8	1370x780x2180	4	Secop	R290	18.5	220-240/50	1600	285	Yes	No



AOM-40B



AOM-50B





# SUSHI SHOWCASE

## Features:

- Double layer hollow glass
- Digital temperature controller
- Sliding door
- Fit GN pans
- Automatic defrost
- Simultaneous cooling

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Fit GN Pans	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WLS-50L	50	0~5	1175x420x308	4*1/3	Huayi	R600a	2	220-240/50	240	53	No	No
WLS-62L	62	0~5	1352x420x308	5*1/3	Huayi	R600a	2	220-240/50	240	58	No	No
WLS-75L	75	0~5	1530x420x308	6*1/3	Huayi	R600a	2	220-240/50	240	63	No	No
WLS-93L	93	0~5	1800x420x308	5*1/2	Huayi	R600a	2	220-240/50	240	72	No	No





# SQUARE DISPLAY CASE

## Features:

- Stainless steel front panel
- Secop compressor
- LED lighting, energy saving
- Dixell electronic controller
- Electric heating front glass
- Automatic defrosting water
- Adjustable shelves
- Dual-function design with feet

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WDF097F	309	2~8	900x750x1200	2	Secop	R290	2.7	230/50	510	221	Yes	No
WDF127F	429	2~8	1200x750x1200	2	Secop	R290	3.5	230/50	700	260	Yes	No
WDF157F	572	2~8	1500x750x1200	2	Secop	R290	4.1	230/50	800	304	Yes	No
WDF177F	665	2~8	1700x750x1200	2	Secop	R290	4.9	230/50	900	324	Yes	No
WDZ097Z	390	2~8	900x750x1200	3	Secop	R290	2.7	230/50	530	229	Yes	No
WDZ127Z	530	2~8	1200x750x1200	3	Secop	R290	3.5	230/50	740	271	Yes	No
WDZ157Z	680	2~8	1500x750x1200	3	Secop	R290	4.1	230/50	830	328	Yes	No
WDZ177Z	720	2~8	1700x750x1200	3	Secop	R290	4.9	230/50	950	352	Yes	No



WDF097F  
WDF127F  
WDF157F  
WDF177F



WDZ097Z  
WDZ127Z  
WDZ157Z  
WDZ177Z







# SINGLE ARC DISPLAY CASE

## Features:

- Stainless steel front panel
- Secop compressor
- LED lighting, energy saving
- Dixell electronic controller
- Electric heating front glass
- Automatic defrosting water
- Adjustable shelves
- Dual-function design with feet

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WDF097D	269	2~8	900x750x1350	3	Secop	R290	2.7	230/50	530	222	Yes	No
WDF127D	365	2~8	1200x750x1350	3	Secop	R290	3.5	230/50	740	261	Yes	No
WDF157D	552	2~8	1500x750x1350	3	Secop	R290	4.1	230/50	830	306	Yes	No
WDF177D	631	2~8	1700x750x1350	3	Secop	R290	4.9	230/50	950	326	Yes	No





# COUNTERTOP DISPLAY CASE

## Features:

- 2 layer stainless steel shelf
- 4 double-layer insulating glass
- High efficiency compressor
- LED lighting, energy saving
- C5H10 foaming
- Ventilated cooling system
- Digital controller
- Automatic defrosting system
- Environmental friendly refrigerant

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WSY100L	100	2~8	715x560x670	2	Qianjiang	R600a	1.8	230/50	240	63	No	No
WSY125L	125	2~8	915x560x670	2	Qianjiang	R600a	1.8	230/50	240	70	No	No
WSF120L	120	2~8	715x560x670	2	Qianjiang	R600a	1.8	230/50	240	65	No	No
WSF160L	160	2~8	915x560x670	2	Qianjiang	R600a	1.8	230/50	240	75	No	No



WSY100L  
WSY125L



WSF120L  
WSF160L





# ECONOMY CAKE SHOWCASE

## Features:

- Overall foaming, good insulation
- Brand compressor
- Ventilated cooling system
- Automatic defrosting water
- LED lighting, energy saving
- Standard castors
- Three-sided glass with heating
- Intelligent controller

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WDG096D	180	2~8	900x660x1200	2	Donper	R290	2.2	230/50	480	141	Yes	No
WDG126D	246	2~8	1200x660x1200	2	Donper	R290	2.2	230/50	480	161	Yes	No
WDG156D	312	2~8	1500x660x1200	2	Donper	R290	3.3	230/50	550	190	Yes	No
WDG186D	380	2~8	1800x660x1200	2	Donper	R290	3.3	230/50	660	215	Yes	No
WDG096F	231	2~8	900x660x1200	2	Donper	R290	2.2	230/50	480	154	Yes	No
WDG126F	316	2~8	1200x660x1200	2	Donper	R290	2.2	230/50	480	181	Yes	No
WDG156F	401	2~8	1500x660x1200	2	Donper	R290	3.3	230/50	550	202	Yes	No
WDG186F	487	2~8	1800x660x1200	2	Donper	R290	3.3	230/50	660	238	Yes	No



WDG096D  
WDG126D  
WDG156D  
WDG186D



WDG096F  
WDG126F  
WDG156F  
WDG186F





# DRINK CABINET

## Features:

- Stainless steel interior & exterior
- Full electronic controller
- LED lit header panel
- LED lighting on each shelf
- Night curtain

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
YLK180L	180	5~10	535x700x1520	Secop	R404	2	5.5	230/50	1320	152	Yes	No
YLK350L	350	5~10	1000x700x1520	Secop	R404	2	6.5	230/50	1370	192	Yes	No
YLK480L	480	5~10	1000x700x1830	Secop/Embraco	R404	3	7.5	230/50	1590	240	Yes	No
YLK580L	580	5~10	1200x700x1830	Embraco	R404	3	8.5	230/50	1660	270	Yes	No



YLK180L



YLK350L



YLK480L



YLK580L







# MULTIDECK DISPLAY COOLERS

## Features:

- Fully automatic operation
- Heavy duty compressor
- Ventilated cooling method
- Digital temperature controller
- Multi level show
- LED lamp under every shelf

## Certifications:



Models	Capacity (L)	Temperature (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
YLM480B	480	2~8	1000x600x1910	4	Secop	R290	4.2	230/50	700	256	Yes	No
YLM580B	580	2~8	1200x600x1910	4	Secop	R290	4.5	230/50	780	280	Yes	No





# DIAMOND SHOWCASE REFRIGERATED CABINET

## Features:

- Digital temperature controller
- Air duct outside glass
- Brilliant internal LED illumination
- Adjustable PVC coated shelves
- Front curved glass door
- Ventilated cooling system
- Maintenance free condenser
- Automatic defrost
- Lockable door

## Certifications:



Models	Capacity (L)	Temperature Display (°C)	External Dimensions (mm)	Shelves Included	Compressor	Refrigerant	Amps (A)	Voltage/Frequency (V/Hz)	Input Power (Watt)	Gross Weight (kg)	Castor Wheels	Lock
WFD58L	58	2~12	476x429x820	2	Cubigel	R290	1.5	230/50	240	39	No	No
WFD78L	78	2~12	476x429x980	3	Cubigel	R290	1.5	230/50	240	44	No	No
WFD88L	88	2~12	476x429x1060	3	Cubigel	R290	1.5	230/50	240	46	No	No
WFD98L	98	2~12	476x429x1140	4	Cubigel	R290	1.5	230/50	240	49	No	No



WFD58L



WFD78L



WFD88L



WFD98L

