# CATALOGUE

WAHANA SATRIA ABADI

2022/2023









# CATALOGUE

WAHANA SATRIA ABADI

(2022/2023)

PT. Wahana Satria Abadi has been involved in the commercial refrigeration industry for more than 20 years and has been supplying products and services to some of the biggest ice cream manufacturer, restaurants, cafes and bakeries in Indonesia,

CV KARYA MUDAH SEJAHTERA





WXX.

CANCE AND SAMO

### INTRODUCTION

PT. Wahana Satria Abadi is the sole distributor of LIEBHERR display freezers and chest freezers in Indonesia. We have been involved in the commercial refrigeration industry for more than 20 years and we have been supplying our products and services to some of the biggest ice cream manufacturer, restaurants, cafes and bakeries in Indonesia.

### CATALOGUE (2022/2023)



LIEBHERR GROUP itself was established in 1949 in Germany by Hans Liebherr. Today LIEBHERR is not only one of the worlds leading manufacturers of construction machinery but is also an acknowledged supplier of technically innovative user-oriented products and services in numerous other fields. LIEBHERR has many different products such as tower crane, truck crane, hydraulic excavator, dumper truck, hydraulic rope excavator, wheeled loader, crawler tractor and loader, landing gear for planes and commercial refrigeration.<sup>1</sup>

PT. Wahana Satria Abadi also specialized in other commercial refrigeration products such as kitchen stainless-steel refrigerator and freezer, refrigerated cake showcase, upright cooler showcase, blast freezer, coldpack, cold drink dispensers, refrigerated trucks, cold room and cold storage.

citation<sup>1</sup> http://www.liebherr.com/en-GB/691.wfw








### MISSION

In choosing products we sell, PT. Wahana Satria Abadi has quality standard that has to be fulfilled by the products. We prefer to sell high quality products with reasonable price which give benefit to our customers in the long term. Liebherr, StarCool, IARP, Perfect, Freeze and Promek are some of the quality brands that we sell at PT. Wahana Satria Abadi. We are located in Tangerang not far from the heart of Jakarta and we are able to deliver our products to our customer timely. Our service networks also located in all major cities in Indonesia.

#### MISSION STATEMENT

"to become the best commercial refrigeration company in Indonesia by providing the best value for money products and services."





MITE

### GREAT REASONS TO CHOOSE LEBHERR

### CATALOGUE (2022/2023)



#### HIGHEST PERFORMANCE

Liebherr freezers for the frozen food and ice-cream industries provide full refrigerating capacity even in extreme climate conditions. The use of ultra-modern components, efficient and environmentally friendly refrigerants as well as precision controls ensure that product quality and freshness is preserved-and the appliances are always efficient.

#### EFFICIENCY

Liebherr freezers operate extremely economically: highly efficient compressors, a precision electronic control system as well as highly effective insulation ensure low power consumption and low operating costs. The high quality of the virtually maintenance-free and servicefriendly appliances guarantees long life and reliable operation.


#### EASY CLEANING

Hygiene plays an especially important role in the commercial sector. That is why Liebherr upright freezers are equipped with moulded inner liners with large radii that are easy to clean. Height-adjustable wire shelves enable individual adaptation to different packaging types or products,











## 04



#### **ROBUST QUALITY**

Liebherr appliances are specially constructed for intensive professional use and feature a very sturdy design with highest- quality materials and perfect workmanship right down to the smallest detail. The quality of the appliances is ensured by elaborate tests. All electronic and refrigeration components are well-balanced to ensure maximum functionality and efficiency-including an attractive design.

#### PRODUCT PRESENTATION

Attractive product presentation is the best sales support at the point of sale. In Liebherr freezers products are always stored optimally, are within easy reach and stimulate buying, Large, smoothrunning sliding glass lids as well as effective interior lighting enable perfect product display. Excellent product visibility is ensured by the high load line height. Sturdy baskets and adjustable shelves allow perfect adaptation of the storage space to the products stored.

#### EASY SERVICING

Liebherr freezers are designed for easy servicing: the generously radiused corners on the moulded inner liners as well as easily removable shelves enable perfect hygiene and save a lot of time.

In addition, Liebherr appliances are virtually maintenance-free and very easy to use thanks to their sophisticated concept. All components requiring regular servicing are designed for easy access.





FEATURES	EFI 1403	EFI 2103	EFI 2803	EFI 3503
Net Capacity	91 L	145 L	197 L	250 L
Gross Capacity	135 L	206 L	276 L	347 L
Temperature	-10 to -24°C	-10 to -24°C	-10 to -24°C	-10 to -24°C
External Dimensions (mm) W x D x H	625 x 661 x 825	835 x 661 x 825	1045 x 661 x 825	1255 x 661 x 825
Internal Dimension (mm) W X D x H	500 x 535 x 656	710 x 535 x 656	920 x 535 x 656	1130 x 535 x 656
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Power Consumption 24h	1.1014 Kwh	1.288 Kwh	1.625 Kwh	1.989 Kwh
Gross Weight	48 Kg	55 Kg	62 Kg	69 Kg
Basket Included	1	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes
LED Light	Optional Type EFI 1453	Optional Type EFI 2153	Optional Type EFI 2853	Optional Type EFI 3553

roduct specifications are subject to change without further notice ternal dimension may vary slightly depend on factory execution number





EFI 4403	EFI 4803	EFI 5603
303 L	356 L	408 L
417 L	488 L	558 L
-10 to -24°C	-10 to -24°C	-10 to -24°C
1465 x 661 x 825	1675 x 661 x 825	1885 x 661 x 825
1340 x 535 x 656	1535 x 535 x 656	1760 x 535 x 656
Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
R290	R290	R290
Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
2.5A	2.5A	2.5A
220V / 50Hz	220V / 50Hz	220V / 50Hz
2.094 Kwh	2.704 Kwh	3.302 Kwh
77 Kg	90 Kg	91 Kg
2	2	2
Yes, Analog	Yes, Analog	Yes, Analog
Mechanical	Mechanical	Mechanical
Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Yes	Yes	Yes
Yes	Yes	Yes
Optional Type EFI 4453	Optional Type EFI 4853	Optional Type EFI 5653















FEATURES	EFE 1102	EFE 2202	EFE 3002
Net Capacity	84 L	163 L	222 L
Gross Capacity	108 L	220 L	294 L
Temperature	-10 to -24°C	-10 to -24°C	-10 to -24°C
External Dimensions (mm) W x D x H	751 x 461 x 825	835 x 661 x 825	1045 x 661 x 825
Internal Dimension (mm) W X D x H	605 x 315 x 657	710 x 535 x 658	920 x 535 x 658
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Power Consumption 24h	0.886 Kwh	1.155 Kwh	1.447 Kwh
Gross Weight	42.5 Kg	56 Kg	63 Kg
Basket Included	1	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical
Door	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass
Castor Wheels	Yes	Yes	Yes
Lock	Yes	Yes	Yes
LED Light	Optional Type EFE 1152	Optional Type EFE 2252	Optional Type EFE 3052







\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number



EFE 3802	EFE 4602	EFE 6002	
280 L	340 L	457 L	
369 L	444 L	593 L	LIEBHERR
-10 to -24°C	-10 to -24°C	-10 to -24°C	FLAT GLASS FREEZER
1255 x 661 x 825	1465 x 661 x 825	1885 x 661 x 825	
1130 x 535 x 658	1340 x 535 x 658	1760 x 535 x 690	
Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	
R290	R290	R290	
Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	
1.5A	2.5A	2.5A	YEARS
220V / 50Hz	220V / 50Hz	220V / 50Hz	WARRANT
1.698 Kwh	2.055 Kwh	3.044 Kwh	
70 Kg	78 Kg	93 Kg	
2	2	2	
Yes, Analog	Yes, Analog	Yes, Analog	
Mechanical	Mechanical	Mechanical	LIEBHERR
Sliding Flat Class	Sliding Flat Glass	Sliding Flat Glass	
Yes	Yes	Yes	
Yes	Yes	Yes	
Optional Type EFE 3852	Optional Type EFE 4652	Optional Type EFE 6052	
		· · · · · · · · · · · · · · · · · · ·	
and the second			and the second se

FEATURES	EFL 1505	EFL 3005	EFL 3805
Net Capacity	115 L	240 L	302 L
Gross Capacity	136 L	284 L	356 L
Temperature	-10 to -24°C	-10 to -24°C	-10 to -24°C
External Dimensions (mm) W x D x H	625 x 680 x 825	1045 x 680 x 825	1255 x 680 x 825
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Power Consumption 24 Hour	0.667 Kwh	1.070 Kwh	1.214 Kwh
Gross Weight	58 Kg	61 Kg	85 Kg
Basket Included	1	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical
Door	Solid Door	Solid Door	Solid Door
Castor Wheels	Yes	Yes	Yes
Lock	Yes	Yes	Yes

Product specifications are subject to change without further notice nternal dimension may vary slightly depend on factory execution number



CV KARYA MUDAH SEJAHTERA

- -

.....




EFL 4605	EFL 6005
364 L	489 L
430 L	574 L
-10 to -24°C	-10 to -24°C
1465 x 680 x 825	1885 x 680 x 825
Embraco / Cubigel	Embraco / Cubigel
R290	R290
Static, Manual Defrost	Static, Manual Defrost
1.5A	1.5A
220V / 50Hz	220V / 50Hz
1.362 Kwh	1.730 Kwh
90 Kg	99 Kg
2	2
Yes, Analog	Yes, Analog
Mechanical	Mechanical
Solid Door	Solid Door
Yes	Yes
Yes	Yes





- •



124E







# LIEBHERR SCOOPING FREEZER

FEATURES	EFI 3553 Scooping	EFI 4853 Scooping
5-Liter GN Pans Included	6 Pans	8 Pans
Temperature	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	1293 x 677 x 1245	1719 x 677 x 1245
Compressor	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5 A	2.5 A
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Gross Weight	94 Kg	121 Kg
Temperature Display	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical
Castor Wheels	Yes	Yes
Lock	Yes	Yes
LED Light	Yes	Yes
	· · · · · · · · · · · · · · · · · · ·	



CV KARYA MUDAH SEJAHTERA



FEATURES	Fv 3613	FDv 4613
Net Capacity	231 L	307 L
Gross Capacity	365 L	461 L
Temperature	-10 to -25°C	-10 to -25°C
External Dimensions (mm) W x D x H	670 x 730 x 1617	670 x 730 x 1957
Compressor	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R290	R290
System	Ventilated, Hot Gas Defrost	Ventilated, Hot Gas Defrost
Input Power	4.4 A	4.4 A
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Power Consumption 24 Hour	9.32 Kwh	9.77 Kwh
Shelves Included	3	4
Gross Weight	136 Kg	154 Kg
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Glass Door Heater	Yes	Yes
Castor Wheels/Feet	Yes	Yes
Lock	Yes	Yes
LED Light	Yes	Yes
Lightbox with Light	Not Available	Yes

LIEBHERR

UPRIGHT SHOWCASE FREEZER

\*Internal dimension may vary slightly depend on factory execution number



10

< **•** •

YEARS WARRANTY







### LEBHERR WINE COOLER FEATURES

#### ACTIVATED CHARCOAL FILTER

Environmental odours can affect wines stored for longer periods. In the wine cabinets, perfect air quality is ensured through an activated charcoal filter.

#### WINE DRAWER

Easy to store and take-out your wine selection in your cabinet.

#### IDEAL HUMIDITY

Maintaining the proper humidity is an important aspect for the storage of wines. In this way, corks remain supple and do not dry out. Wine should be stored in a horizontal position to keep the corks moist from the inside. With over 50 % air humidity, wine cabinets guarantee the perfect conditions.

#### INSULATED **GLASS DOOR**

Wine bottles are in most cases tinted because UV light has a damaging effect on wine maturation. However, the bottles alone are insufficient protection. In order to minimise the exposure to radiation, Liebherr wine cabinets feature special UV-resistant glass. In this way, stocks of wine can be protected and simultaneously stylishly showcased.











FEATURES	WKpb 4612 Barrique
Net Capacity	336 L
Gross Capacity	453 L
Maximum No. of Bottles	195
Temperature - Single Zone	10 to 16°C
External Dimensions (mm) W x D x H	660 x 663 x 1841
Compressor	Embraco / Cubigel
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	1.0 A
Voltage/Frequency	220V / 50Hz
Power Consumption 24 Hour	0.558 Kwh
Wooder Shelves Included	4
Metal Drawer Included	1
Gross Weight	96 Kg
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Castor Wheels/Feet	Yes
Lock	Yes
LED Light	Yes



### GREAT REASONS TO CHOOSE Star(OOL

### CATALOGUE (2022/2023)





#### PRICE **AFFORDABILITY**

Starcool products are very affordable and suitable for businesses that are just starting up or have limited resources to spend on refrigeration equipment. The belief behind Starcool brand is value for money, the brand is giving customers the best value commercial refrigeration products for entry-level pricing.

#### FLEXIBITY ON IMPROVEMENT

Customers' feedbacks are certainly appreciated to make Starcool products better in every aspect. Starcool is supported by many excellent and reliable manufacturers that are flexible enough to make any adjustment to suit customers' needs.

#### QUALITY CONTROL

Although pricing of Starcool products is very competitive, quality is routinely controlled on every shipment. Quality is evaluated and reviewed, if a manufacturer does not meet a certain degree of quality then products from that manufacturer will be stopped. Maintaining a good relationship with dependable manufacturers as well as continuous quality evaluation ensure Starcool quality is not compromised.

#### VAST RANGE OF PRODUCTS

Starcool product range is expanding year by year, customers' needs in many different fields in the food industry are changing and Starcool is following that trend. Starcool brand in the market is becoming the leader of product innovations with affordable and competitive price.

#### CONSISTENT PRODUCT RANGE AND QUALITY

The problem with other just cheap products are inconsistent product range and quality. Starcool is not just any other brand. Starcool brand always strive to preserve consistent product range for customers and consistent product quality, this is why good relationship with dependable manufacturers combined with continuous quality evaluation are important.





CV KARYA MUDAH SEJAHTERA



18 | CATALOGUE 2022-2023 | STARCOOL

FEATURES	SF 100	SF 220	SF 450D	SF 600
Capacity	100 L	220 L	450 L	600 L
Temperature	-18 to -22°C	-18 to -22°C	-18 to -22°C	-18 to -22°C
External Dimensions (mm) W x D x H	574 x 564 x 845	950 x 564 x 845	1275 x 750 x 850	1655 x 740 x 850
Compressor	Huayi	Huayi	Huayi	Huayi
Refrigerant	R600a	R600a	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	77 Watt	104 Watt	170 Watt	210 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	1	1	1
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical
Door	Single Door	Single Door	Single Door	Double Doors
Wheels	Wheels and Feet	Wheels and Feet	Full Wheels	Full Wheels
Lock	Yes	Yes	Yes	Yes
LED Light	Not Available	Not Available	Yes	Yes
Internal Wall	Aluminium	Aluminium	Aluminium	Aluminium





Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number





344

-



	SF 750D	SF 1100D
	750 L	1100 L
	-18 to -22°C	-18 to -22°C
	2075 x 750 x 850	2025 x 910 x 950
	Ниауі	Huayi
	R290	R290
	Static, Manual Defrost	Static, Manual Defrost
	285 Watt	470 Watt
	220V / 50Hz	220V / 50Hz
	2	2
	Yes, Digital	Yes, Digital
	Mechanical	Mechanical
	Double Doors	Double Doors
	Full Wheels	Full Wheels
	Yes	Yes
	Yes	Yes
_	Aluminium	Aluminium











FEATURES	GLK 30
Capacity	300 L
Temperature	-50 to -60°C
External Dimensions (mm) W x D x H	1305 x 655 x 865
Compressor	Embraco
Refrigerant	R290 + R1150
System	Static, Manual Defrost
Input Power	436 Watt
Voltage/Frequency	220V / 50Hz
Power Consumption 24 Hour	5.36 Kwh
Basket Included	Not Available
Temperature Display	Yes, Digital with Alarm
Thermostat Controller	Digital
Door	Single Door
Castor Wheels / Feet	Yes
Lock	Yes
Internal Wall	Aluminium

### (OOL LOW TEMPERATURE FREEZER )

......



\* Room ambient temperature must be <25 Degree Celcius \* Thermometer does not fully represent the actual product temperature

\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number







2	2

EATURES	DF 152	DF 182	DF 280	DF 330
Net Capacity	152 L	182 L	280 L	330 L
Gross Capacity	110 L	136 L	218 L	315 L
lemperature	-18 to -22°C	-18 to -22°C	-18 to -22°C	-18 to -22°C
Ext Dimensions (mm)	584 x 694 x 940	756 x 656 x 925	986 x 656 x 839	1224 x 654 x 839
Compressor	Huayi	Huayi	Huayi	Huayi
Refrigerant	R600a	R600a	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
nput Power	190 Watt	190 Watt	253 Watt	253 Watt
/oltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1+1	3	4	5
lemperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels / Feet	Yes	Yes	Yes	Yes
.ock	Yes	Yes	Yes	Yes
.ED Light	Yes	Yes	Yes	Yes
Steel Bottom Plate	Yes	Yes	Yes	Yes
nternal Wall	PCM White Steel	PCM White Steel	PCM White Steel	PCM White Steel



YEAR WARRANTY

25-100





FEATURES	DF 111	DF 201	DF 651
Capacity	98 L	197 L	651 L
Temperature	-18 to -22°C	-18 to -22°C	-18 to -22°C
External Dimensions (mm) W x D x H	545 x 555 x 810	895 x 555 x 810	1850 x 780 x 870
Compressor	Huayi	Huayi	Embraco
Refrigerant	R600a	R600a	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	155 Watt	170 Watt	242 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	2	3	6
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Mechanical	Mechanical	Mechanical
Door	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass
Castor Wheels / Feet	Yes	Yes	Yes
Lock	Yes	Yes	Yes
LED Light	Not Available	Not Available	Not Available
Internal Wall	Aluminium	Aluminium	PCM White Steel














uct specifications are subject to change without further notice ernal dimension may vary slightly depend on factory execution number



**B** 888 (



FEATURES	SD 750
Capacity	750 L
Temperature	-18 to -22°C
External Dimensions (mm) W x D x H	2036 x 936 x 770
External Dimensions (mm) W x D x H	1870 x 760 x 530
Compressor	Double Compressor Huayi
Refrigerant	R134a
System	Static, Manual Defrost
Input Power	450 Watt
Voltage/Frequency	220V / 50Hz
Basket Included	Full
Temperature Display	Yes, Digital
Thermostat Controller	Mechanical
Door	Double Sliding Flat Glass
Castor Wheels / Feet	Yes
Lock	Not Available
LED Light	Not Available
Internal Wall	PCM White Steel





24

WARRANTY



FEATURES	EZ 300	UF 400B	UF 750E
Capacity	280 L	400 Liter	750 Liter
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	520 x 505 x 1860	610 x 610 x 1973	950 x 690 x 2000
Compressor	Donper	Donper	Donper
Refrigerant	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	230 Watt	268 Watt	390 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	5	4	4 + 4
Temperature Display	Not Available	Yes, Digital	Yes, Digital
Thermostat Controller	Analog	Digital	Digital
Door	Single Door	Single Door	Double Doors
Glass Door Heater	Hot-Air Blower	Hot-Air Blower	Hot-Air Blower
Castor Wheels / Feet	Yes	Yes	Yes
Lock	Hook Type	Yes	Yes
LED Light	Yes	Yes	Yes





Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number



CV KARYA MUDAH SEJAHTERA 💿 +62 818-0732-8340 😑 a.saeroji@yamura.id 💽 Jl. Glogor Carik No 9A, Denpasar, Bali



2	6
[2	6

UF 1000B	UF 1200B
1000 Liter	1200 Liter
2 to 8°C	2 to 8°C
1110 x 690 x 2079	1600 x 610 x 1973
Donper	Donper
R134a	R134a
Fan Cooling, No Frost	Fan Cooling, No Frost
470 Watt	555 Watt
220V / 50Hz	220V / 50Hz
4 + 4	4 + 4 + 4
Yes, Digital	Yes, Digital
Digital	Digital
Double Doors	Triple Doors
Hot-Air Blower	Hot-Air Blower
Yes	Yes
Yes	Yes
Yes	Yes







FEATURES	СТС 60	СТС 110
Capacity	60 Liter	110 Liter
Temperature	2 to 10°C	2 to 10°C
External Dimensions (mm) W x D x H	480 x 520 x 525	480 x 520 x 840
Weight	22 Kg	33 Kg
Compressor	Qian Jiang	Qian Jiang
Refrigerant	R134a	R134a
System	Static, Manual Defrost	Static, Manual Defrost
Input Power	50 Watt	110 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	1	3
Temperature Display	Not Available	Not Available
Thermostat Controller	Analog	Analog
Door	Single Door	Single Door
Castor Wheels / Feet	Yes	Yes
Lock	Yes	Yes
LED Light	Yes	Yes

## **Star (OOL**

COUNTER TOP CHILLER



\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number



March parts

YEAR WARRANTY





COUNTER TOP CAKE SHOWCASE

FEATURES	SCDF 090
Temperature	2 to 8°C
External Dimensions (mm) W x D x H	900 x 535 x 810
Weight	108 Kg
Compressor	Danfoss Secop
Refrigerant	R134a
System	Fan Cooling, No Frost
Input Power	360 Watt
Voltage/Frequency	220V / 50Hz
Shelves Included	1
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Back Door	Double Sliding Class Door
Castor Wheels / Feet	Not Available
Lock	Not Available
LED Light	Yes
Body Material	White Marble



FEATURES	SG 90 FA	SG 120 FA	SG 150 FA	SG 180 FA
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	900 x 700 x 1250	1200 x 700 x 1250	1500 x 700 x 1250	1800 x 700 x 1250
Weight	201 Kg	232 Kg	264 Kg	296 Kg
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling, No Frost			
Input Power	550 Watt	800 Watt	970 Watt	1100 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3	3	3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Back Door	Double Sliding Glass Door	Double Sliding Class Door	Double Sliding Glass Door	Double Sliding Glass Door
Castor Wheels / Feet	Yes	Yes	Yes	Yes
Lock	Not Available	Not Available	Not Available	Not Available
LED Light	Yes	Yes	Yes	Yes
Body Material	Perforated Stainless-steel with LED Light			







roduct specifications are subject to change without further notice ternal dimension may vary slightly depend on factory execution number



CV KARYA MUDAH SEJAHTERA





CG 90 FA	CG 120 FA	CG 150 FA	CG 180 FA
2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
900 x 700 x 1240	1200 x 700 x 1240	1500 x 700 x 1240	1800 x 700 x 1240
189 Kg	216 Kg	243 Kg	275 Kg
Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
Fan Cooling, No Frost			
550 Watt	800 Watt	970 Watt	1100 Watt
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
3	3	3	3
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Digital	Digital	Digital	Digital
Double Sliding Glass Door			
Yes	Yes	Yes	Yes
Not Available	Not Available	Not Available	Not Available
Yes	Yes	Yes	Yes
Stainless-steel	Stainless-steel	Stainless-steel	Stainless-steel



SQUARE AND CURVE CAKE SHOWCASE















FEATURES	CH 90 VM	CH 120 VM	CH 150 VM	СН 180 VM
Temperature	2 to 8°C	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	900 x 800 x 950	1200 x 800 x 950	1500 x 800 x 950	1800 x 800 x 950
Weight	295 Kg	325 Kg	340 Kg	400 Kg
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Fros
Input Power	750 Watt	786 Watt	878 Watt	1023 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	Not Available	Not Available	Not Available	Not Available
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Back Door	Drawer Type	Drawer Type	Drawer Type	Drawer Type
Castor Wheels / Feet	Yes	Yes	Yes	Yes
Lock	Not Available	Not Available	Not Available	Not Available
LED Light	Yes	Yes	Yes	Yes
Body Material	Marble White	Marble White	Marble White	Marble White



# JEWELRY CAKE SHOWCASE




50









FEATURES	KT 730 AF	KT 740 AF	KT 750 AF	KT 760 AF
Temperature	2°C to 8°C	2°C to 8°C	2°C to 8°C	2°C to 8°C
External Dimensions (mm) W x D x H	900 x 750 x 1300	1200 x 750 x 1300	1500 x 750 x 1300	1800 x 750 x 1300
Weight	254 Kg	297 Kg	344 Kg	387 Kg
Compressor	Danfoss Secop	Danfoss Secop	Danfoss Secop	Danfoss Secop
Refrigerant	R134a / R404a	R134a / R404a	R134a / R404a	R134a / R404a
System	Fan Cooling No Frost	Fan Cooling No Frost	Fan Cooling No Frost	Fan Cooling No Frost
Input Power	550 Watt	650 Watt	730 Watt	920 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3 Shelves	3 Shelves	3 Shelves	3 Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Front Door	Double Sliding Glass Door	Double Sliding Glass Door	Double Sliding Glass Door	Double Sliding Glass Door
Castor Wheels	Yes	Yes	Yes	Yes
Lock	Not Available	Not Available	Not Available	Not Available
LED Light	Yes	Yes	Yes	Yes
Body Material	White Marble	White Marble	White Marble	White Marble



# OPEN FRONT SLIDING CURVE CAKE SHOWCASE













FEATURES	Z 450P	Z 1000NP	Z 1600NP
Capacity	477 L	1045 L	1618 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	625 x 750 x 2000	1250 x 750 x 2040	1880 x 750 x 2040
Internal Dimensions (mm) W x D x H	530 x 600 x 1350	1080 x 600 x 1350	1780 x 600 x 1350
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	400 Watt	590 Watt	780 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3 Short Shelves	3 Long Shelves	3 Long + 3 Short Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Pillarless	N/A	Yes	Yes, First Section Only
Castor Wheels with Brake	Yes	Yes	Yes
Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Not Available	Not Available	Not Available



PILLARLESS STAINLESS-STEEL UPRIGHT CHILLER

YEAR WARRANTY

000







T

FEATURES	D 450P	D 1000NP	D 1600NP
Capacity	477 L	1045 L	1618 L
Temperature	-14 to -20°C	-14 to -20°C	-14 to -20°C
External Dimensions (mm) W x D x H	625 x 750 x 2000	1250 x 750 x 2040	1880 x 750 x 2040
Internal Dimensions (mm) W x D x H	530 x 600 x 1350	1080 x 600 x 1350	1780 x 600 x 1350
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	480 Watt	630 Watt	1500 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3 Short Shelves	3 Long Shelves	3 Long + 3 Short Shelve
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Pillarless	N/A	Yes	Yes, First Section Only
Castor Wheels with Brake	Yes	Yes	Yes
Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Not Available	Not Available	Not Available

1000



STAINLESS-STEEL UPRIGHT FREEZER







1000

E220



FEATURES	DZ 950P
Capacity	950 L
Temperature	2 to 8°C and -14 to -20°C
External Dimensions (mm) W x D x H	1250 x 710 x 1935
Internal Dimensions (mm) W x D x H	530 x 570 x 1350
Compressor	2x Embraco
Refrigerant	R134A and R404A
System	Fan Cooling, No Frost
Input Power	950 Watt
Voltage/Frequency	220V / 50Hz
Shelves included	3 Short + 3 Short Shelves
Temperature Display	Yes, 2x Digital
Thermostat Controller	2x Digital
Door	4 Half Doors
Pillarless	N/A
Castor Wheels / Feet	Yes
Lock	Key and Lock
LED Light	Not Available



STARCOOL STAINLESS-STEEL UPRIGHT COMBINATION FREEZER CHILLER

(\_\_\_\_\_

YEAR WARRANTY

\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number

FEATURES	ZT 12 NP	ZT 15 NP	ZT 18 NP
Capacity	307 L	350 L	460 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1 Long Shelves	1 Long Shelves	1 Long + 1 Short Shelves
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors
Pillarless	Yes	Yes	Yes, First Section Only
Legs	Yes	Yes	Yes
Lock	Key and Lock	Key and Lock	Key and Lock
LED Light	Not Available	Not Available	Not Available

oduct specifications are subject to change without further notice ternal dimension may vary slightly depend on factory execution number



# **Star** (OOL

PILLARLESS STAINLESS-STEEL **UNDERCOUNTER FREEZER &** CHILLER /

# YEAR WARRANTY













#### CUSTOM YOUR OWN SALAD BAR COUNTER

We can custom and tailormade your personalized salad bar counter or drink toppings counter according to your needs, business concept or interior design.

We can custom the dimensions and also how many GN pans that are able to fit into the undercounter. Whether you have 6, 12, 18, 24, 36 or how many toppings with different GN pan dimensions that you like to serve, we surely can accommodate your needs.









FEATURES	SCLC4-150	SCLC4-180	SCLC4-210
Temperature	2 to 10°C	2 to 10°C	2 to 10°C
External Dimensions (mm)	1500 x 300 x 295	1800 x 300 x 295	2100 x 300 x 295
Weight	45 Kg	50 Kg	60 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves	Not Available	Not Available	Not Available
Temperature Display	Not Available	Not Available	Not Available
Thermostat Controller	Not Available	Not Available	Not Available
Back Door	Double Sliding Door	Double Sliding Door	Double Sliding Door
Feet	Yes	Yes	Yes
LED Light	Not Available	Not Available	Not Available



SUSHI SHOWCASE





Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number







FEATURES	VRX3-120	VRX3-150	VRX3-180
Temperature	2 to 10°C	2 to 10°C	2 to 10°C
External Dimension (WxDxH)mm	1200 x 395 x 430	1500 x 395 x 430	1800 x 395 x 430
Weight	45 Kg	50 Kg	60 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Capacity GN 1/3-100	5	7	9
GN Pan and Pan Closure	Not Included	Not Included	Not Included
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Back Door	Not Available	Not Available	Not Available
Feet	Yes	Yes	Yes
LED Light	Not Available	Not Available	Not Available















FEATURES	SK-51B	SK-101B
Production Capacity	50 Kg / 24 Hour	100 Kg / 24 Hour
	*Production will drop 25-35% if	water temperature is more than 10°C
ісе Туре	Cube	Cube
Water Source	Water Faucet	Water Faucet
Bin Capacity	25 Kg	25 Kg
External Dimensions (mm) W x D x H	640 x 650 <del>x 785</del>	640 x 650 x 785
Weight	50 Kg	67 Kg
Compressor	Secop	Secop
Refrigerant	R404a	R404a
System	Air-cooled	Air-cooled
Input Power	350 Watt	830 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Temperature Display	Not Available	Not Available
Thermostat Controller	Digital	Digital
Leg / Feet	Yes	Yes

# (OOL

(ICE MAKER UNDERTABLE

---



\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number



1



FEATURES	SK-120PT	SK-120P	SK-210P
Production Capacity	55 Kg / 24 Hour *Production will drop 25-35	55 Kg / 24 Hour % if water temperature is more tha	95 Kg / 24 Hour n 10°C
Ісе Туре	Cube	Cube	Cube
Water Source	Gallon Water	Water Faucet	Water Faucet
Bin Capacity	18 Kg	18 Kg	36 Kg
External Dimensions (mm)	590 x 500 x 850	590 x 500 x 850	685 x 660 x 920
Weight	50 Kg	50 Kg	63 Kg
Compressor	Secop	Secop	Secop
Refrigerant	R404a	R404a	R404a
System	Air-cooled	Air-cooled	Air-cooled
Input Power	300 Watt	300 Watt	580 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Temperature Display	Not Available	Not Available	Not Available
Thermostat Controller	Digital	Digital	Digital
Leg / Feet	Yes	Yes	Yes

FEATURES	PS-12	PS-20
Gross Capacity	320 L	525 L
Temperature	-30 to -42°C	-30 to -42°C
External Dimensions (mm) W x D x H	670 x 900 x 1434	670 x 895 x 1970
Weight	185 Kg	270 Kg
Compressor	Tecumseh	Tecumseh
Refrigerant	R507	R404
System	Static, Manual Defrost	Static, Manual Defros
Input Power	700 Watt	1428 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Shelves Included	12	20
Space Between Shelves	60mm	60mm
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital
Castor Wheels / Feet	Yes	Yes
Lock	Not Available	Not Available
LED Light	Not Available	Not Available
Body Material	Stainless-steel	Stainless-steel







Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number



CV KARYA MUDAH SEJAHTERA

🕓 +62 818-0732-8340 💿 a.saeroji@yamura.id 🜔 Jl. Glogor Carik No 9A, Denpasar, Bali

FEATURES	Coldpack 0.5kg	Coldpack 2kg	<b>Star (OOL</b>
External Dimensions (mm) W x D x H	80 x 35 x 207	230 x 30 x 305	
Temperature	<-25°C	<-25°C	COLDPACK
Coldpack for Eutectic Free		a construction of the second sec	
We also manufacture Coldpack Ic			
for our Perfect Freeze Eutectic Fr	eezer.		
These Coldpack can be used for			
mobile refrigeration that can be put into ice box or ice cream troll	ev		
	ley.		
		1400	

FEATURES	BCS-450C	BGS-1000C	BCS-1600C
Capacity	450 L	1000 L	1600 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	625 x 750 x 2000	1250 x 750 x 2040	1880 x 750 x 2040
Internal Dimensions (mm) W x D x H	530 x 600 x 1350	1080 x 600 x 1350	1780 x 600 x 1350
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134a	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	400 Watt	590 Watt	780 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Pillarless	N/A	N/A	N/A
Castor Wheels with Brake	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Not Available	Not Available	Not Available

**BRHHRD** 



BGS STAINLESS-STEEL UPRIGHT CHILLER



\*Product specifications are subject to change without further notice \*Internal dimension may vary slightly depend on factory execution number





FEATURES	BCS-450F	BGS-1000F	BCS-1600F
Capacity	450 L	1000 L	1600 L
Temperature	-12 to -18°C	-12 to -18°C	-12 to -18°C
External Dimensions (mm) W x D x H	625 x 750 x 2000	1250 x 750 x 2040	1880 x 750 x 2040
nternal Dimensions (mm) W x D x H	530 x 600 x 1350	1080 x 600 x 1350	1780 x 600 x 1350
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
nput Power	480 Watt	630 Watt	1500 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	6 Half Doors
Pillarless	N/A	N/A	N/A
Castor Wheels with Brake	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Not Available	Not Available	Not Available



BGS STAINLESS-STEEL UPRIGHT FREEZER



CONTRACTOR OF THE OWNER OWNER

FEATURES	BGT-12C	BGT-15C	BGT-18C
Capacity	307 L	350 L	460 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1+1	1+1	]+]+]
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors
Pillarless	N/A	N/A	N/A
Legs	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Not Available	Not Available	Not Available



# BGT STAINLESS-STEEL

YEAR WARRANTY

Product specifications are subject to change without further notice nal dimension may vary slightly depend on factory execution number



FEATURES	BGT-12F	BCT-15F	BCT-18F
Capacity	307 L	350 L	460 L
Temperature	-12 to -18°C	-12 to -18°C	-12 to -18°C
External Dimensions (mm) W x D x H	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	478 Watt	478 Watt	542 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	1+1	1+1	1+1+1
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors
Pillarless	N/A	N/A	N/A
Legs	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Not Available	Not Available	Not Available



# BGT STAINLESS-STEEL UNDERCOUNTER FREEZER











star	$(\mathbf{O})$	$\mathbf{O}$

FOR BAR COUNTER

BGTB STAINLESS-STEEL UNDERCOUNTER CHILLER

FEATURES	BGTB-12C	BGTB-15C	BGTB-18C
Capacity	213 L	260 L	340 L
Temperature	2 to 8°C	2 to 8°C	2 to 8°C
External Dimensions (mm) W x D x H	1200 x 600 x 850	1500 x 600 x 850	1800 x 600 x 850
Compressor	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	350 Watt	350 Watt	368 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	] + ]	] + ]	] + ] + ]
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	2 Doors	2 Doors	3 Doors
Pillarless	N/A	N/A	N/A
Legs	Yes	Yes	Yes
Lock	Lock Plate Only	Lock Plate Only	Lock Plate Only
LED Light	Not Available	Not Available	Not Available







F



FEATURES	SDC-625C	SDC-1200C
Tray Capacity	12 Pcs 600x400mm/650x450mm	24 Pcs 600x400mm/650x450mm
Temperature	0 to 6°C	0 to 6°C
External Dimensions (mm) W x D x H	625 x 850 x 1990	1200 x 850 x 1990
Compressor	1x Embraco/Secop	2x Embraco/Secop
Refrigerant	R134a	R134a
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Pan Holders	12 + 12 Pcs	24 + 24 Pcs
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	1x Digital	2x Digital
Door	2 Half Doors	4 Half Doors
Section	N/A	Separator Middle Pillar
Castor Wheels with Brake	Yes	Yes
Lock	Yes	Yes
LED Light	Not Available	Not Available



Product specifications are subject to change without further notice • CN Trays are not included in the unit, only Tray Holders are included.





∑star (OOL

BAKERY STAINLESS-STEEL UPRIGHT CHILLER

YEAR WARRANTY

5

U

BAKERY STAINLESS-STEEL UPRIGHT FREEZER

FEATURES	SDC-625F	SDC-1200F
Tray Capacity	12 Pcs 600x400mm/650x450mm	24 Pcs 600x400mm/650x450mm
Temperature	-12 to -20°C	-12 to -20°C
External Dimensions (mm) W x D x H	625 x 850 x 1990	1200 x 850 x 1990
Compressor	1x Embraco/Secop	2x Embraco/Secop
Refrigerant	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost
Voltage/Frequency	220V / 50Hz	220V / 50Hz
Pan Holders	12 + 12 Pcs	24 + 24 Pcs
Temperature Display	Yes, Digital	Yes, Digital
Thermostat Controller	1x Digital	2x Digital
Door	2 Half Doors	4 Half Doors
Section	N/A	Separator Middle Pillar
Castor Wheels with Brake	Yes	Yes
Lock	Yes	Yes
LED Light	Not Available	Not Available
		The second s





-

-----



### CATALOGUE 2022/2023



**Ø**PROMEK

### GREAT REASONS TO CHOOSE) 🛞 PROMEK



#### MADE IN ITALY

Promek products are exclusively made in Italy. Nothing can beat the quality of European design, technology and manufacturing process. As Aristotle once said, quality is not an act, it is a habit. Promek's quality need not to be questioned, it is one of the best cold beverage dispenser.

#### **USAGE BY MANY CHAIN RESTAURANTS IN** INDONESIA

Chain restaurants are renowned of their busyness, operation and success. Promek products has been used and still being used by many chain restaurants in Indonesia. This confirms that Promek is proven that even in the busiest cafe or restaurant, Promek is still have excellent reliability, dependability and superiority. Refrigerants as well as precision controls ensure that product quality and freshness is preserved-and the appliances are always efficient.

#### ROMEK

COLD JUICE DISPENSER

VL SERIES

FEATURES	VL 112	VL 223
No. of Bowls	1	2
Bowl Capacity	12 L	12 L
External Dimensions (mm) W x D x H	180 x 460 x 670	335 x 460 x 670
Net Weight	19 Kg	28 Kg
System	Stir Paddle	Stir Paddle
Input Power	185 Watt	235 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz







FEATURES	Faster 5	Faster 10	Faster 15
Blast Chilling Capacity (+3°C)	15 Kg	32 Kg	40 Kg
Shock Freezing Capacity (-18°C)	10 Kg	22 Kg	28 Kg
Thawing Function	Yes	Yes	Yes
GN Tray Capacity GN1/I 600x400mm	5	10	15
External Dimensions (mm) W x D x H	760 x 700 x 830	790 x 799 x 1629	790 x 799 x 1970
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling	Fan Cooling	Fan Cooling
Electricity	1 Phase	1 Phase	3 Phase
Voltage/Frequency	220V / 50Hz	220V / 50Hz	400V / 50Hz
Gross Weight	82 Kg	139 Kg	188 Kg
Watt	449	900	2264
Ampere	6,78	8,62	8
Thermostat Controller	Digital	Digital	Digital
Legs / Wheels	Legs	Legs	Wheels
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available





-

Made in Italy



# AFINOX

NOX BLAST AFINOX BLAST CHILLER SHOCK FREEZER MACHINE





10 M 10









Made in Japan

### CATALOGUE 2022/2023













62

#### DESIGN QUALITY

Accumulated "knowledge" and "skills" will make the best quality. Pursuit of usage and serviceability. We repeat design verification to sustain and improve Japan Quality to the highest.

#### MANUFACTURING QUALITY

We aim for the highest quality. We continue to produce best quality products from our manufacturing by harmonizing skilled specialists we call "TAKUMI" with high performance manufacturing equipments.

#### INSPECTION QUALITY

We inspect our products from customer's viewpoint. We check every single product to make sure not to send defective items to customers.





FEATURES	DLR-068	DLR-128	DLR-158	DLR-188
Capacity	486 L	1078 L	1383 L	1677 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C
External Dimensions (mm) W x D x H	600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960
Compressor	KK / Embraco	KK / Embraco	KK / Embraco	KK / Embraco
Refrigerant	R134a	R404A	R404A	R404A
System	Fan Cooling, No Frost			
Input Power	1.4 A	1.7 A	1.7 A	1.7 A
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	20V / 50Hz
Gross Weight	85 Kg	135 Kg	148 Kg	176 Kg
Shelves Included	3	3 + 3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors
Pillarless	N/A	N/A	N/A	N/A
Legs	Yes	Yes	Yes	Yes
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available
Auto Water Evaporation	Yes	Yes	Yes	Yes

Made in Japan



\*Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number







63 | CATALOGUE 2022-2023 | STAINLESS-STEEL UPRI

🕓 +62 818-0732-8340 🛛 💿 a.saeroji@yamura.id 🌔 Jl. Glogor Carik No 9A, Denpasar, Bali

	e	5	L	ł
¢.				

DLF-068	DLF-128	DLF-158	DLF-188
486 L	1069 L	1374 L	1668 L
-7 to -25°C	-7 to -25°C	-7 to -25°C	-7 to -25°C
600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960
KK / Embraco	KK / Embraco	KK / Embraco	KK / Embraco
R404A	R404A	R404A	R404A
Fan Cooling, No Frost			
2.3 A	2.1 A	2.1 A	2.2 A
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
88 Kg	140 Kg	160 Kg	188 Kg
3	3 + 3	3 + 3	3 + 3 + 3
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Digital	Digital	Digital	Digital
2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors
N/A	N/A	N/A	N/A
Yes	Yes	Yes	Yes
Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
Not Available	Not Available	Not Available	Not Available
Yes	Yes	Yes	Yes



STAINLESS-STEEL FREEZER











.

	DKR-096	DKR-126	DKR-156	DKR-186
FEATURES				
Capacity	153 L	246 L	337 L	426 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C
External Dimensions (mm) W x D x H	880 x 600 x 850	1200 x 600 x 850	1500 x 600 x 850	1800 x 600 x 850
	KK / Embraco	KK / Embraco	KK / Embraco	KK / Embraco
Compressor		R134A	R134A	R134A
Refrigerant	R134A		Fan Cooling, No Frost	Fan Cooling, No Frost
System	Fan Cooling, No Frost	Fan Cooling, No Frost	0.9 A	0.9 A
Input Power	0.9 A	0.9 A		220V / 50Hz
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	
Gross Weight	57 Kg	69 Kg	78 Kg	90 Kg
Shelves Included	2	2 + 2	2 + 2	2 + 2 + 2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital
		2 Doors	2 Doors	3 DOORS
Pillar.ess	N/A	N/A	N/A	N/A
Legs	Yes	Yes	Yes	Yes
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available
Auto Water Evaporation	Yes	Yes	Yes	Yes



Product specifications are subject to change without further notice Internal dimension may vary slightly depend on factory execution number



DKR-097	DKR-127	DKR-157	DKR-187		
201 L	325 L	444 L	561 L		
	ana				
-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C		
880 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850		
KK / Embraco	KK / Embraco	KK / Embraco	KK / Embraco		
R134A	R134A	R134A	R134A		
Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost		
0.9 A	0.9 A	0.9 A	0.9 A		
220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz		
62 Kg	80 Kg	86 Kg	102 Kg		
2	2 + 2	2 + 2	2 + 2 + 2		
Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital		
Digital	Digital	Digital	Digital		
1 Door	2 Doors	2 Doors	3 Doors		
N/A	N/A	N/A	N/A		
Yes	Yes	Yes	Yes		
Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate		
Not Available	Not Available	Not Available	Not Available		
Yes	Yes	Yes	Yes		



STAINLESS-STEEL UNDERCOUNTER CHILLER



66





. \_

\_









FEATURES	DKF-156	DKF-186	
Capacity	337 L	426 L	
Temperature	-7 to -25°C	-7 to -25°C	
External Dimensions (mm) W x D x H	1500 x 600 x 850	1800 x 600 x 850	
Compressor	KK / Embraco	KK / Embraco	
Refrigerant	R404A	R404A	
System	Fan Cooling, No Frost	Fan Cooling, No Frost	
Input Power	2.1 A	2.1 A	
Voltage/Frequency	220V / 50Hz	220V / 50Hz	
Gross Weight	82 Kg	94 Kg	
Shelves Included	2 + 2	2 + 2 + 2	
Temperature Display	Yes, Digital	Yes, Digital	
Thermostat Controller	Digital	Digital	
Door	2 Doors	3 Doors	
Pillarless	N/A	N/A	
Legs	Yes	Yes	
Lock	Optional Lock Plate	Optional Lock Plate	
LED Light	Not Available	Not Available	
Auto Water Evaporation	Yes	Yes	



Made in Japan









		1		
E		5	2	
	0)	C	D	
1	-		-	
	e	6	68	68

			-
	<b>7</b> -		- 1
-		the second secon	<u></u>

STAINLESS-STEEL UNDERCOUNTER FREEZER

> YEARS WARRANTY



Optional Lock Plate

DKF-127

325 L

R404A

2.1 A

84 Kg

2 + 2

Digital

2 Doors

Yes

-7 to -25°C

KK / Embraco

220V / 50Hz

Yes, Digital

Fan Cooling, No Frost



Optional Lock Plate

Not Available

DKF-157

-7 to -25°C

R404A

90 Kg

Digital

2 Doors

1500 x 750 x 850

Fan Cooling, No Frost

KK / Embraco

220V / 50Hz

Yes, Digital



DKF-187

-7 to -25°C

R404A

106 Kg

Digital

3 Doors

1800 x 750 x 850

Fan Cooling, No Frost

KK / Embraco

220V / 50Hz

Yes, Digital

Optional Lock Plate

Not Available